

Claims:

1. An apparatus that transmits content organized into channels,
2 wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the system comprising:
4 means for assigning one or more multicast addresses to each channel;
means for scheduling the assembling of a channel's content;
6 means for assembling the channel's content;
means for fragmenting the channel's content into packets, wherein each
8 packet is addressed with one of the channel's multicast addresses; and
means for multicasting the packets.

2. The apparatus of claim 1, wherein the means for multicasting the
2 packets includes means for transmitting the packets to a multicast receiver of a
multicast network.

3. The apparatus of claim 1, further comprising means for encrypting
2 a subset of a channel's packets prior to multicasting, wherein the encryption
means encrypts either all or a part of the packet and wherein each channel's
4 packets are encrypted with a set of encryption keys which are unique to that
channel.

4. The apparatus of claim 3, further comprising:
2 means for receiving requests from a receiver of the multicast for access
to a channel's packets,
4 means for mapping the requested channel to the multicast addresses
that carry the channel's packets, and
6 means for requesting authorization for the receiver to access the
requested channel's packets.

5. The apparatus of claim 4, further comprising means for
2 authenticating the requests to ensure that the requests originated from the
receiver for which access is being requested.

6. The apparatus of claim 2, wherein the multicast network is a
2 geosynchronous satellite digital TV broadcast system.

7. The apparatus of claim 1, wherein the multicast network is a one-
2 way cable TV network.

8. The apparatus of claim 1, wherein the multicast network is a
2 digital video broadcast (DVB) network.

9. The apparatus of claim 1, wherein the packets are multicast to a
2 plurality of receivers.

10. The apparatus of claim 9, wherein a channel's content includes
2 indexing information which allows URL data items contained within the
channel's content to be quickly looked up by the receiver which receives the
4 channel's content.

11. The apparatus of claim 10, wherein the channel's content further
2 includes a data structure containing each domain name present in the URLs of
the URL data items within the channel's content.

12. The apparatus of claim 9, further comprising a conditional access
2 system for controlling each receiver's access to packets, wherein each receiver
can only access packets which contain multicast addresses which the
4 conditional access system has authorized the receiver to access.

13. The apparatus of claim 12, wherein the means for multicasting
the packets is a geosynchronous satellite digital TV broadcast earth station.

14 The apparatus of claim 12, further comprising:
means for receiving requests from the receivers to obtain access to a
channel's packets,
means for mapping the requested channel to the multicast addresses
that carry the channel's packets, and
means for authorizing the receivers' access to a channel's packets in
response to the receivers' request for access.

15. The apparatus of claim 13, wherein a channel's content includes
indexing information which allows URL data items contained within the
channel's content to be quickly looked up by the receiver which receives the
channel's content, the system further comprising:
means for scheduling a configurable number of retransmissions of the
channel's previously assembled content;
means for fragmenting and multicasting the channel's content according
to the schedule; and
means for specifying the transmission rate of the channel's content,
wherein the packets containing the channel's content are multicast at the
specified rate.

16. The apparatus of claim 13, further comprising means for
compressing a subset of the URL data items, wherein each URL data item is
compressed individually independent of other URL data items such that each
compressed URL data item can be decompressed without decompressing other
URL data items.

17. The apparatus of claim 16, wherein the URL data items are
compressed with a lossless data compression algorithm.

18. The apparatus of claim 1, further comprising:
means for scheduling a configurable number of retransmissions of a
channel's previously assembled content, and
means for fragmenting and multicasting the channel's content according
to the schedule.

19. The apparatus of claim 18, further comprising means for
specifying a transmission rate of a channel's content, wherein the packets
containing the channel's content are multicast at the specified rate.

20. The apparatus of claim 19, further comprising:
means for assigning one or more multicast addresses to an
announcement packet, wherein the announcement packet includes an
announcement of an upcoming transmission of a channel's content; and
means for multicasting the announcement packet prior to the multicast
of the packets containing the channel's content.

21. The apparatus of claim 19, wherein the channel's content
includes a data structure containing each domain name present in the URLs of
the URL data items within the channel's content.

22. The apparatus of claim 19, wherein the packets are multicast to a
plurality of receivers and wherein a channel's content includes indexing
information which allows URL data items contained within the channel's
content to be quickly looked up by the receiver which receives the channel's
content.

23. The apparatus of claim 22, wherein the channel's content further
2 includes a data structure containing each domain name present in the URLs of
the URL data items within the channel's content.

24. The apparatus of claim 1, wherein a channel's content includes a
2 data structure containing each domain name present in the URLs of the URL
data items within the channel's content.

25. The apparatus of claim 1, wherein the means for assembling the
2 channel's content further comprises:

means for assembling a base package of the channel's content, wherein
4 the base package contains each URL data item in the channel; and

means for assembling a delta package of the channel's content, wherein
6 the delta package contains URL data items which have changed or are new
since the previous assembling of the base package.

26. An apparatus that transmits content organized into channels,
wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the apparatus comprising:
means for scheduling the assembling of a channel's content;
means for assembling the channel's content;
means for compressing a subset of the URL data items, wherein each
URL data item is compressed individually independent of other URL data items
such that each compressed URL data item can be decompressed without
decompressing other URL data items;
means for fragmenting the channel's content into packets; and
means for multicasting the packets.

27. The apparatus of claim 26, wherein the URL data items are
compressed with a lossless data compression algorithm.

28. The apparatus of claim 26, wherein the means for assembling the
channel's content further comprises:
means for assembling a base package of the channel's content, wherein
the base package contains each URL data item in the channel; and
means for assembling a delta package of the channel's content, wherein
the delta package contains URL data items which have changed or are new
since the previous assembling of the base package.

29. The apparatus of claim 28, wherein the means for scheduling the
assembling of the channel's content comprises means for scheduling the
assembling of the base package and means for scheduling the assembling of the
delta package.

30. The apparatus of claim 28, further comprising means for
2 difference compressing a subset of the URL data items in a channel's content
which is present in both the delta package and the previous base package.

31. The apparatus of claim 30, wherein the difference compression
2 means further comprises:

means for dividing a URL data item in the delta package into sections;
4 and

for each section, means for placing into a compressed version of the
6 URL data item, one of a reference to where that section can be found in the
base package, or the section of URL data item from the delta package.

32. The apparatus of claim 28, further comprising means for
2 assembling a second delta package which contains a subject of the URL data
items which have changed or are new since the assembling of the previous delta
4 package.

33. The apparatus of claim 26, further comprising means for
2 encrypting a subset of a channel's packets prior to transmission, wherein the
encryption means encrypts either all or part of the packet and wherein each
4 channel's packets are encrypted with a set of encryption keys which are unique
to that channel.

34. An apparatus that transmits content organized into channels,
wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the apparatus comprising:
means for assembling a base package of a channel's content, wherein
the base package contains each URL data item in the channel;
means for fragmenting the base package into packets;
means for multicasting the base package packets to a plurality of
receivers;
means for assembling a delta package of a channel's content, wherein
the delta package contains URL data items which have changed or are new
since the previous assembling of the base package;
means for fragmenting the delta package into packets; and
means for multicasting the delta package packets to the plurality of
receivers.

35. The apparatus of claim 34, wherein some of the receivers
comprise a personal computer.

36. The system of claim 34, wherein some of the receivers comprise
a set top box.

37. The apparatus of claim 34, further comprising means for
scheduling the assembling of base packages and delta packages, wherein the
base packages and delta packages are assembled according to the schedule.

38. The apparatus of claim 34, further comprising means for
scheduling the multicast transmission of base package packets and for
scheduling subsequent periodic multicast transmission of delta package
packets, wherein the base package packets and delta package packets are
multicast according to the schedule.

2 39. The apparatus of claim 38, wherein base package packets are scheduled for transmission at a time when the receiver is not likely to be in use for other applications.

2 40. The apparatus of claim 39, wherein the base package packets are scheduled for transmission late at night or early in the morning.

2 41. The apparatus of claim 34, further comprising means for compressing a subset of the URL data items in the base and delta packages, wherein each URL data item is compressed individually independent of other
4 URL data items such that each compressed URL data item can be decompressed without decompressing other URL data items.

2 42. The apparatus of claim 41, wherein the URL data items are compressed with a lossless data compression algorithm.

2 43. The apparatus of claim 41, further comprising means for difference compressing a subset of the URL data items that are present in both in the delta package and the previous base package.

2 44. The apparatus of claim 43, wherein the difference compression means further comprises:

4 means for dividing a URL data item in the delta package into sections;
and

6 for each section, means for placing into a compressed version of the URL data item, one of a reference to where that section can be found in the base package, or the section of URL data item from the delta package.

2 45. The apparatus of claim 44, further comprising means for
compressing a subset of the previously difference compressed URL data item
with a lossless data compression algorithm.

2 46. The apparatus of claim 34, further comprising means for
assembling a second delta package which contains URL data items which have
changed since the assembling of the previous delta package.

47. An apparatus that transmits content organized into channels,
2 wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the apparatus comprising:
4 means for scheduling the assembling of a channel's content;
means for assembling the channel's content according to the schedule;
6 means for fragmenting the channel's content into packets;
means for multicasting the packets to a plurality of receivers, wherein
8 each receiver stores the received channel's content in a receiver memory; and
means for receiving usage reports from each receiver, wherein each
10 usage report identifies a subset of URL data items from the stored URL data
items that was accessed from the receiver memory.

48. The apparatus of claim 47, further comprising means for
2 organizing the received usage reports by channel.

49. The apparatus of claim 47, wherein each usage report contains
2 information identifying a subset of URL data items delivered to a web browser.

50. The apparatus of claim 47, wherein the usage reports comprise a
2 set of files and wherein the URL data items accessed for each channel is
referenced in one set of files.

51. The apparatus of claim 47, wherein the usage reports contain
2 information identifying each URL data item, from the stored URL data items,
being delivered to a web browser.

52. The apparatus of claim 50, wherein usage reporting is performed
2 on a subset of a channel's URL data items and the files contain a separate
record for each time a usage reported URL data item was delivered to a web
4 browser, wherein the record identifies the URL of the URL data item.

6 53. The apparatus of claim 52, wherein the record identifies when the URL data item was delivered to the web browser.

2 54. The apparatus of claim 52, wherein the record contains a field uniquely identifying the user that accessed the URL data item.

2 55. The apparatus of claim 54, wherein the field uniquely identifying the user does not specify the identity of the user.

2 56. The apparatus of claim 54, wherein the field uniquely identifying the user specifies the identity of the user.

2 57. The apparatus of claim 47, wherein a channel's content is assembled from a web server and further comprising means for notifying the web server from which a URL data item was assembled that the URL data item was accessed by a user.
4

2 58. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by a user by notifying the web server that the URL data item was delivered to a browser.

2 59. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by initiating an HTTP GET operation for the URL data item.

2 60. The apparatus of claim 57, wherein the web server is notified of multiple accesses of multiple URL data items by initiating an HTTP PUT operation.

2 61. The apparatus of claim 57, wherein the web server is notified of multiple accesses of multiple URL data items by initiating an HTTP POST operation.

2 62. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by e-mail, and wherein multiple accesses of multiple URL data items is reported in one e-mail.

2 63. The apparatus of claim 47, further comprising means for compressing a subset of the URL data items;
4 means for compressing a subset of the URL data items, wherein each URL data item is compressed individually independent of other URL data item such that each compressed URL data item can be decompressed without
6 decompressing other URL data items;

2 64. A method for multicasting content organized into channels, wherein a channel's content includes a plurality of URL data items and each URL data item is addressed by a URL, the method comprising the steps of:
4 assigning one or multicast addresses to each channel;
scheduling the assembling of each channel's content;
6 assembling each channel's content according to the schedule;
fragmenting each channel's content into packets, wherein each packet is
8 addressed with one of the channel's multicast addresses; and
transmitting the packets via a multicast network to a plurality of
10 receivers.

2 65. The method of claim 64, further comprising encrypting a subset of a channel's packets prior to transmitting the packets, wherein either all or a part of the packet are encrypted and wherein each channel's packets are
4 encrypted with a set of encryption keys which are unique to that channel.

66. The method of claim 65, further comprising the steps of:
6 receiving requests from the receivers for access to a channel's packets;
mapping the requested channel to the multicast addresses that carry the
8 channel's packets; and
requesting authorization from the multicast network for the receiver to
10 access the requested channel's packets.

67. The method of claim 66, further comprising the step of
2 authenticating the requests to ensure that the requests originated from the
receiver for which access is being requested.

68. The method of claim 64, wherein a channel's content includes
2 indexing information which allows URL data items contained within the
channel's content to be quickly looked up by the receiver which receives the
4 channel's content.

69. The method of claim 68, wherein the channel's content further
2 includes a data structure containing each domain name present in the URLs of
the URL data items within the channel's content.

70. The method of claim 68, wherein a channel's content includes
2 indexing information which allows URL data items contained within the
channel's content to be quickly looked up by the receiver which receives the
4 channel's content, the method further comprising the steps of:
scheduling a configurable number of retransmissions of the channel's
6 previously assembled content;
specifying a transmission rate of the channel's content; and
8 fragmenting and transmitting the channel's content to the receivers
according to the schedule at the specified transmission rate.

2 71. The method of claim 65, further comprising the step of
compressing a subset of the URL data items, wherein each URL data item is
compressed individually independent of other URL data items such that each
4 compressed URL data item can be decompressed without decompressing other
URL data items.

2 72. The method of claim 71, wherein the URL data items are
compressed with a lossless data compression algorithm.

2 73. The method of claim 64, further comprising the steps of:
scheduling a configurable number of retransmissions of a channel's
previously assembled content; and
4 fragmenting and transmitting the channel's content to the receivers
according to the schedule.

2 74. The method of claim 73, further comprising the step of specifying
a transmission rate of a channel's content, wherein the packets containing the
channel's content are transmitted at the specified rate.

2 75. The method of claim 73, further comprising the steps of:
assigning one or more multicast addresses to an announcement packet,
wherein the announcement packet includes an announcement of an upcoming
4 transmission of a channel's content; and
transmitting the announcement packet to the receivers prior to
6 transmitting the packets containing the channel's content.

76. The method of claim 64, wherein the step of assembling the
2 channel's content further comprises:
assembling a base package of the channel's content, wherein the base
4 package contains each URL data item in the channel; and
assembling a delta package of the channel's content, wherein the delta
6 package contains URL data items which have changed or are new since the
previous assembling of the base package.

277. A method for transmitting content organized into channels,
2 wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the method comprising the steps of:
4 scheduling the assembling of a channel's content;
assembling the channel's content according to the schedule;
6 compressing a subset of the URL data items, wherein each URL data
item is compressed individually independent of other URL data items such that
8 each compressed URL data item can be decompressed without decompressing
other URL data items;
10 fragmenting the channel's content into packets; and
multicasting the packets via a multicast network to a plurality of
12 receivers.

278. The method of claim 77, wherein the URL data items are
2 compressed with a lossless data compression algorithm.

279. The method of claim 77, wherein the step of assembling the
2 channel's content further comprises the steps of:
assembling a base package of the channel's content, wherein the base
4 package contains each URL data item in the channel; and
assembling a delta package of the channel's content, wherein the delta
6 package contains URL data items which have changed or are new since the
previous assembling of the base package.

280. The method of claim 79, wherein the step of scheduling the
2 assembling of the channel's content comprises scheduling the assembling of the
base package and scheduling the assembling the delta package.

2 81. The method of claim 80, further comprising the step of difference
compressing a subset of the URL data items in a channel's content which is
present in both the delta package and the previous base package.

2 82. The method of claim 81, wherein the step of difference
compressing further comprises the steps of.
dividing a URL data item in the delta package into sections; and
4 for each section, placing into a compressed version of the URL data
item, one of a reference to where that section of content can be found in the
6 base package, or the section of the URL data item from the delta package.

2 83. The method of claim 82, wherein the reference to where the
section of URL data item can be found in the base package is an offset from a
beginning of the URL to a first byte and an offset to a last byte being
4 referenced

2 84. The method of claim 79, further comprising the step of
assembling a second delta package which contains URL data item which has
changed since the assembling of the previous delta package.

2 85. The method of claim 77, further comprising the step of
encrypting a subset of a channel's packets prior to transmission, wherein either
all or part of the packet are encrypted and wherein each channel's packets are
4 encrypted with a set of encryption keys which are unique to that channel.

86 A method for transmitting content organized into channels,
2 wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the system comprising:
4 assembling a base package of a channel's content, wherein the base
package contains each URL data item in the channel;
6 fragmenting the base package into packets,
multicasting the base package packets to a plurality of receivers;
8 assembling a delta package of a channel's content, wherein the delta
package contains URL data items which have changed or are new since the
10 previous assembling of the base package;
fragmenting the delta package into packets; and
12 multicasting the delta package packets to the plurality of receivers.

87. The method of claim 86, further comprising the step of
2 scheduling the assembling of base packages and delta packages, wherein the
base packages and delta packages are assembled according to the schedule.

88. The method of claim 86, further comprising the step of
2 scheduling the multicast transmission of base package packets and for
scheduling subsequent periodic multicast transmission of delta package
4 packets, wherein the base package packets and delta package packets are
multicast according to the schedule.

89. The method of claim 88, wherein base package packets are
2 scheduled for transmission at a time when the receiver is not likely to be in use
for other applications.

2 90. The method of claim 86, further comprising the step of
compressing a subset of the URL data items in the base and delta packages,
wherein each URL data item is compressed individually independent of other
4 URL data items such that each compressed URL data item can be
decompressed without decompressing other URL data items.

2 91. The method of claim 90, wherein the URL data items are
compressed with a lossless data compression algorithm.

2 92. The method of claim 90, further comprising the step of difference
compressing a subset of the URL data items which are present in both in the
delta package and the previous base package.

2 93. The method of claim 92, wherein the step of difference
compressing further comprises:
dividing a URL data item in the delta package into sections; and
4 for each section, placing into a compressed version of the URL data
item, one of a reference to where that section can be found in the base package,
or the section of the URL data item from the delta package.

2 94. The method of claim 93, wherein the reference to where the
section of URL data item can be found in the base package is an offset from a
beginning of the URL to a first byte and an offset to a last byte being
4 referenced.

2 95. The method of claim 93, further comprising compressing a subset
of the previously difference compressed URL data items with a lossless data
compression algorithm.

- 2 96. The method of claim 86, further comprising the step of assembling a second delta package that contains URL data items that have changed since the assembling of the previous delta package.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237

97. A method for transmitting content organized into channels,
2 wherein a channel's content includes a plurality of URL data items and each
URL data item is addressed by a URL, the method comprising the steps of:
4 scheduling the assembling of a channel's content;
assembling the channel's content according to the schedule,
6 fragmenting the channel's content into packets;
multicasting the packets to a plurality of receivers, wherein each
8 receiver stores the received channel's content in a receiver memory; and
receiving usage reports from each receiver, wherein each usage report
10 identifies a subset of URL data items from the stored URL data items that was
accessed from the receiver memory.

98. The method of claim 97, further comprising the step of
2 organizing the received usage reports by channel.

99. The method of claim 97, wherein each usage report contains
2 information identifying a subset of URL data items delivered to a web browser.

100. The method of claim 97, wherein the usage reports comprise a
2 set of files, and wherein the URL data item accessed for each channel is
referenced in one set of files.

101. The method of claim 97, wherein the usage reports contain
2 information identifying each URL data item, from the stored URL data items,
being delivered to a web browser.

102. The method of claim 100, further comprising the step of
2 performing usage reporting on a subset of a channel's URL data items and
wherein the files contain a separate record for each time a usage reported URL
4 data item was delivered to the web browser, and wherein the record identifies
the URL of the URL data item.

103. The method of claim 102, wherein the record identifies when
2 the URL data item was delivered to the web browser.

104. The method of claim 102, wherein the record contains a field
2 uniquely identifying the user that accessed the URL data item.

105. The method of claim 104, wherein the field uniquely identifying
2 the user does not specify the identity of the user.

106. The method of claim 104, wherein the field uniquely identifying
2 the user specifies the identity of the user.

107. The method of claim 97, wherein a channel's content is
2 assembled from a web server and further comprising the step of notifying the
web server from which a URL data item was assembled that the URL data item
4 was accessed by a user.

108. The method of claim 107, wherein the web server is notified
2 that the URL data item was accessed by a user by notifying the web server that
the URL data item was delivered to a browser.

109. The method of claim 107, wherein the web server is notified
2 that the URL data item was accessed by initiating an HTTP GET operation for
the URL data item.

110 The method of claim 107, wherein the web server is notified of
2 multiple accesses of multiple URL data items by initiating an HTTP PUT
operation.

111. The method of claim 107, wherein the web server is notified of
2 multiple accesses of multiple URL data items by initiating an HTTP POST
operation.

112. The method of claim 107, wherein the web server is notified
2 that the URL data item was accessed by e-mail, and wherein multiple accesses
of multiple URL data item is reported in one e-mail.

113. The method of claim 97, further comprising the step of
2 compressing a subset of the URL data items, wherein each URL data item is
compressed individually independent of other URL data items such that each
4 compressed URL data item can be decompressed without decompressing other
URL data items.

114. A receiver for receiving from a multicast network content organized into channels, wherein a channel's content includes a plurality of URL data items and each URL data item is addressed by a URL, and wherein the multicast network transmits the channel's content to the receiver in packets, the receiver comprising:

means for determining a multicast address used to carry a channel's packets;

means for enabling reception of packets containing a channel's multicast address;

means for receiving the packets containing a channel's multicast address;

means for assembling the received packets into a channel's content;

means for storing the channel's content; and

means for allowing a user to access the stored channel's content.

115. The receiver of claim 114, wherein some of the received packets are wholly or partially encrypted and the receiver further comprises means for decrypting the encrypted packets using a decrypting key unique to the channel.

116. The receiver of claim 114, wherein the receiver is only authorized to receive selected packets.

117. The receiver of claim 114, wherein the channel's content is stored in a single file.

118. The receiver of claim 114, wherein the channel's content is stored in a number of files, and wherein the number of files is less than the total number of URL data items in the channel.

119. The receiver of claim 114, further comprising means for
2 allowing the user to designate the channels to be received.

120. The receiver of claim 119, further comprising means for only
2 receiving the user designated channels.

121. The receiver of claim 120, further comprising means for
2 displaying to the user the set of channels which can be received.

122. The receiver of claim 121, further comprising means for
2 receiving an electronic program guide channel, wherein the content of the
electronic program guide channel includes channel selection information
4 allowing the user to evaluate which channels the receiver should receive.

123. The receiver of claim 122, further comprising means for
2 receiving updates for the electronic program guide channel.

124. The receiver of claim 122, wherein the channel selection
2 information in the electronic program guide channel includes a schedule for
when the content of the channels will be transmitted.

125. The receiver of claim 122, wherein the channel selection
2 information in the electronic program guide channel includes an amount of
memory space needed to store the channel's content.

126. The receiver of claim 114, further comprising means for
2 determining whether all the packets for a channel have been received.

127. The receiver of claim 126, wherein the multicast network
2 transmits packets to the receiver more than once and further comprising means
for determining which packets for a channel were not received and assembling
4 the channel's missing packets from the retransmitted packets.

128. The receiver of claim 114, wherein the receiver comprises a
2 personal computer.

129. The receiver of claim 114, wherein the receiver comprises a set
2 top box.

130. The receiver of claim 114, wherein the receiver is integrated
2 with a digital television.

131. The receiver of claim 114, further comprising:
2 means for determining when a URL data item requested to be accessed
by the user is not present within the stored channel content,
4 means for notifying the user that the requested URL data item is not
present within the stored channel content, and
6 means for allowing the user to access the non-present URL data item
via a connection to a TCP/IP network.

132. The receiver of claim 131, wherein the TCP/IP network
2 comprises the Internet.

133. The receiver of claim 131, further comprising means for
2 soliciting the user whether to access the non-present URL data item via the
connection to the TCP/IP network..

2 134 The receiver of claim 132, wherein the multicast network is a geosynchronous satellite broadcast system and wherein the connection to the Internet is a dial-up modem.

2 135. The receiver of claim 114, further comprising means for tracking each time the user accesses URL data items in the stored channel content.

2 136. The receiver of claim 135, further comprising means for reporting the tracked user accesses to a web site from which the accessed URL data items were assembled.

2 137. The receiver of claim 114, wherein the packet receiving means monitors receiver activity and selectively receives packets based on the monitored activity.

2 138. The receiver of claim 114, further comprising means for soliciting the user to determine when packets should be received and wherein the packet receiving means selectively receives packets based on user preferences.
4

139. A receiver for receiving from a multicast network content
organized into channels, wherein a channel's content includes a plurality of
URL data items and each URL data item is addressed by a URL, and wherein
the multicast network transmits the channel's content to the receiver in packets,
the receiver comprising:

means for determining a multicast address used to carry a channel's
packets;

means for enabling reception of packets containing a channel's
multicast address;

means for receiving the packets containing a channel's multicast
address;

means for assembling the received packets into a channel's content;

means for storing the channel's content;

means for allowing a user to access the stored channel's content; and

means for individually decompressing each compressed URL data item
in the stored channel content at a time when the user accesses the URL data
item.

140 The receiver of claim 139, wherein the URL data item is
decompressed a first time the user access the URL data item and further
comprising means for storing the decompressed URL data item.

141. The receiver of claim 139, wherein the URL data item is
decompressed each time a user access the URL data item.

142. The receiver of claim 139, wherein the multicast network
transmits a channel's content in base package packets and delta package
packets, and the means for assembling the base package packets into a
complete base package and assembling the delta package packets into a
complete delta package.

2 143 The receiver of claim 142, wherein the means for storing the
channel's content stores the complete base package for the channel and the
complete delta package for the channel.

2 144. The receiver of claim 142, wherein the means for allowing a user
to access the stored channel's content provides the user with a URL data item
from a delta package when the URL data item is present in a delta package and
4 provides the user a URL data item from a base package when the URL data
item is not present in a delta package.

145. A receiver in a multicast system, comprising:
2 means for receiving URL data items from a multicast network;
means for storing the received URL data items;
4 means for allowing a user to access the stored URL data items; and
means for tracking user access to the stored URL data items

146. The receiver of claim 145, wherein the URL data items are
2 assembled from a web site and further comprising means for reporting the
tracked user access to the web site.

147. The receiver of claim 145, wherein the tracking means includes
2 means for counting a number of times the user accesses a subset of the stored
URL data items.

148. The receiver of claim 145, further comprising:
2 means for determining when a URL data item requested to be accessed
by the user is not present within the stored URL data items,
4 means for notifying the user that the requested URL data item is not
present within the stored URL data items, and
6 means for allowing the user to access the non-present URL data item
via a connection to a TCP/IP network.

149. The receiver of claim 148, further comprising means for
2 soliciting the user whether to access the non-present URL data item via the
connection to the TCP/IP network.

150. The receiver of claim 148, wherein the multicast network is a
2 geosynchronous satellite broadcast system and wherein the connection to the
TCP/IP network is a dial-up modem.

151. A receiver in a multicast system, comprising:
2 means for monitoring receiver activity; and
means for selectively receiving content from a multicast network,
4 wherein the content is selectively received based on the monitored receiver
activity

152. The receiver of claim 151, wherein the monitoring means
2 monitors whether any other applications are currently active on the receiver.

153. The receiver of claim 151, wherein the monitoring means
2 monitors utilization of a receiver memory.

154. The receiver of claim 151, wherein the monitoring means
2 monitors user activity on an input device of the receiver.

155. The receiver of claim 154, wherein the receiver is a personal
2 computer and the user activity comprises keystrokes on a keyboard input
device.

156. The receiver of claim 154, wherein the receiver is a personal
2 computer and the user activity comprises clicks on a mouse input device.

157. The receiver of claim 156, wherein the user activity further
2 comprises keystrokes on a keyboard input device.

158. The receiver of claim 151, further comprising means for
2 soliciting a user to specify when content should be received and wherein the
receiving means receives content based on the user specifications.

2 159. The receiver of claim 158, wherein the user specifications include time of day when content should be received.

2 160. The receiver of claim 158, wherein the content comprises base
2 packages and delta packages and the user specifications includes a first time
period when base packages can be received and a second time period when
4 delta packages can be received.

2 161. The receiver of claim 151, further comprising means for
suspending reception of content when the monitoring means determines that
reception will interfere with other receiver activity.

2 162. The receiver of claim 161, further comprising means for
automatically enabling reception of content after the monitoring means
determines that reception will not interfere with other receiver activity.

2 163. The receiver of claim 161, further comprising means for
automatically enabling reception at a time of day when reception will most
likely not interfere with other receiver activity.

2 164. The receiver of claim 161, wherein the monitoring means
determines that reception will not interfere with other activity by monitoring
user activity on an input device of the receiver.

2 165. The receiver of claim 164, wherein the receiver is a personal
computer and the user activity comprises clicks on a mouse input device.

166. A receiver in a multicast system, comprising:
2 a package receiver for receiving packets containing URL data items
from a multicast network and assembling the received packets into a channel,
4 wherein the channel comprises a set of URL data items;
a memory for storing the channel; and
6 a content viewer for allowing a user to request access to and access the
URL data items in the stored channel.

167. The receiver of claim 166, further comprising a browser for
2 searching the memory for URL data items requested by the user.

168. The receiver of claim 166, wherein the receiver comprises a
2 personal computer.

169. The receiver of claim 166, wherein the receiver comprises a set
2 top box.

170. The receiver of claim 166, wherein the receiver is integrated
2 with a digital television.

171. The receiver of claim 166, wherein the packets received from
2 the multicast network are encrypted and the package receiver decrypts the
packets.

172 A system for multicasting URL data items from web sites to a
2 plurality of receivers, comprising:
a web crawler for retrieving URL data items from the web sites and
4 formatting the retrieved URL data items into packages;
a package delivery subsystem for receiving the packages from the web
6 crawler, fragmenting the packages into packets and transmitting the packets to
a multicast network; and
8 a conditional access system for determining which receivers are
authorized to receive the packets, wherein the multicast network multicasts the
10 packets only to authorized receivers.

173. The system of claim 172, wherein the web crawler retrieves
2 URL data items from the web sites according to a predetermined channel
definition.

174. The system of claim 172, wherein the multicast network
2 multicasts an electronic program guide to each receiver, and wherein the
electronic program guide contains descriptions of the web sites from which
4 URL data items were retrieved.

175. The system of claim 174, wherein a receiver uses the electronic
2 program guide to subscribe to selected web sites and the system further
comprises a registration server for tracking subscription information.

176. The system of claim 175, wherein the registration server
2 provides the subscription information to the package delivery subsystem.

177. The system of claim 172, further comprising a cache hit tracker
2 which receives usage reports from the receivers, wherein the usage reports
contain information identifying which URL data items, from the set of URL
4 data items received by the receiver, were accessed by a user.

178. The system of claim 177, wherein the cache hit tracker stores
2 the usage reports in hit log files.

179. The system of claim 178, wherein the cache hit tracker provides
2 the hit log files to the web sites from which the URL data items were retrieved.

180. The system of claim 172, wherein the multicast network
2 multicasts the packets to the receiver over a one-way high speed link.

181. The system of claim 180, wherein the high speed link comprises
2 a satellite link.

182 A system for multicasting content organized into channels to a
2 plurality of receivers, wherein a channel's content includes a plurality of URL
data items from at least one web site, comprising:
4 a web crawler for retrieving the URL data items from the web site via a
TCP/IP network and formatting the retrieved URL data items into packages;
6 a package delivery subsystem for receiving the packages from the web
crawler and fragmenting the packages into packets;
8 a conditional access system for determining which receivers are
authorized to receive the packets; and
10 a multicast network for receiving the packets from the package delivery
subsystem, wherein the conditional access system encrypts the packets and the
12 multicast network multicasts the encrypted packets to the authorized receivers,
and wherein the authorized receivers store the packets in a memory and
14 decrypt the packets.

16 183. The system of claim 182, wherein the web crawler compresses a
subset of the retrieved URL data items, and wherein each URL data item is
18 compressed individually independent of other URL content such that the
receiver can decompress each URL data item without decompressing other
20 URL data items.

2 184. The system of claim 182, wherein the web crawler assembles a
base package containing each URL data item in the channel and subsequently
assembles a delta package containing URL data items which have changed or
4 are new since the previous assembling of the base package.

2 185. The system of claim 184, wherein the web crawler assembles
the base packages and delta packages according to a schedule.

186. The system of claim 184, wherein the multicast network
2 multicasts the base packages and the delta packages according to a schedule.

187. The system of claim 186, wherein the base packages are
2 scheduled for multicasting at a time when the receiver is not likely to be in use
for other applications.

188. The system of claim 184, wherein the web crawler compresses a
2 subset of the retrieved URL data items, and wherein each URL data item is
compressed individually independent of other URL content such that the
4 receiver can decompress each URL data item without decompressing other
URL data items.

189. The system of claim 188, wherein the web crawler difference
2 compresses a subset of the URL data items that are present in both the delta
package and the previous base package.

190. The system of claim 189, wherein the web crawler performs
2 difference compression by:
dividing a URL data item in the delta package into sections; and
4 for each section, places into a compressed version of the URL data
item, one of a reference to where that section can be found in the base package,
6 or the section of the URL data item from the delta package.

191. The system of claim 184, wherein the web crawler assembles a
2 second delta package which contains URL data items which have changed
since the assembling of the previous delta package.

192. The system of claim 182, wherein each receiver comprises a
2 content viewer for allowing a user to access the stored URL data items.

193. The system of claim 192, further comprising a cache hit tracker
2 which receives usage reports from the receivers, wherein the usage reports
contain information identifying which URL data items, from the set of stored
4 URL data items, was accessed by a user.

194. The system of claim 193, wherein the cache hit tracker provides
2 the usage reports to the web sites from which the accessed URL data items
were retrieved.

195. The system of claim 182, wherein the TCP/IP network
2 comprises the Internet.

196. The system of claim 182, wherein the multicast network
2 multicasts the packets to the receiver over a one-way high speed link.